

WHAT TO EXPECT AMBULATORY PHLEBECTOMY		
Patient Name		
Appointment Date	Time	Arrive at

Before Your Procedure

- Your appointment time is the time we anticipate beginning the procedure.
 - Please arrive at least 15 minutes ahead of your appointment time to allow time to change clothing, complete paperwork, and address any last minute questions.
- ► The procedure itself takes about an hour, but anticipate being in the office 1½ to 2 hours.
- On the day of the appointment, you may eat normally and take your usual medications. Advise your doctor if you take blood thinners or aspirin.
- Bring your full length stocking if you already have it.

Your Procedure

- ► After paperwork is complete and you have changed clothing, your surgeon will mark your leg to indicate veins to be removed.
- Your position on the table may vary depending on the location of abnormal veins.
- Your leg will be prepared using an antiseptic solution and sterile drapes placed.
- Using local anesthetic, a series of very small (1/8 inch) incisions will be made and segments of vein removed using specially designed instruments.
- Tumescent anesthesia is also used in which a higher volume of fluid is injected in the tissues around the vein.
- ▶ The procedure itself will take about an hour.
- When the procedure is complete, your leg will be cleansed and a compression wrap applied. Your compression stocking may be applied.

After your Procedure

- You will be asked to walk for approximately 15 minutes and report back to the office.
- ► You may drive yourself home.
- ► You should wear your wrap for 24–36 hours, and then your stocking during the day for 2–3 days.
- ► You may resume normal activity, diet, and medications immediately.
- Avoid core muscle exercises or heavy lifting or straining for 1 week as these activities may increase venous pressure in the treated vein.
- ► You may shower as soon as you remove the compression garment placed in the office (24-36 hours), but you should avoid hot baths.
- ► Anticipate some bruising or discoloration along the path of the treated veins. It will resolve within 1–2 weeks.
- Some of the tumescent fluid is expected to leak out of the incision sites. A small or moderate amount of pinkish drainage should not be cause for alarm.
- A follow up appointment will be scheduled for 2–7 days after your procedure.
- ► Call your doctor for:

Fever greater than 101 degrees F.

Pain or swelling severe enough to limit normal light activity such as walking.

Excessive bleeding or drainage.